

Amendments to the Claims

1-14. (Cancelled)

15. (Currently amended) A compound selected from the group consisting of:
7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
N-Cyclopropyl-7-(4-fluorobenzyl)-4-hydroxy-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-morpholin-4-ylethyl)-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-Benzyl-4-hydroxy-*N*-(2-methoxyethyl)-1-(2-morpholin-4-yl-2-oxoethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
4-Hydroxy-*N*-[2-(methyloxy)ethyl]-2-oxo-7-(phenylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-[(4-Fluorophenyl)methyl]-4-hydroxy-2-oxo-*N*-[3-(2-oxo-1-pyrrolidinyl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-(4-morpholinyl)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-[(5-Fluoro-2-pyridinyl)methyl]-4-hydroxy-*N*-[3-(4-morpholinyl)propyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-Benzyl-4-hydroxy-*N*-(2-methoxyethyl)-1-[4-(methylsulfonyl)benzyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1-[2-(2-oxopyrrolidin-1-yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-Benzyl-4-hydroxy-*N*-(2-methoxyethyl)-1-[(1-methyl-1*H*-imidazol-2-yl)methyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-1-(cyclopropylmethyl)-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-Benzyl-4-hydroxy-*N*-(2-methoxyethyl)-2-oxo-1-(1,3-thiazol-2-ylmethyl)-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-(4-Fluorobenzyl)-4-hydroxy-*N*-(2-methoxyethyl)-1-[4-(methylsulfonyl)benzyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-(4-morpholinyl)ethyl]-1-[2-(4-morpholinyl)-2-oxoethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-[2-(methyloxy)ethyl]-1-[2-(4-morpholinyl)-2-oxoethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(3-hydroxy-2,2-dimethylpropyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-{2-[(2-hydroxyethyl)oxy]ethyl}-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Dimethylamino)-2-oxoethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[2-(4-morpholinyl)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-[2-(4-morpholinyl)-2-oxoethyl]-*N*-[3-(4-morpholinyl)propyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-[2-(4-morpholinyl)-2-oxoethyl]-2-oxo-*N*-[3-(2-oxo-1-pyrrolidinyl)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-[2-(4-morpholinyl)-2-oxoethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-methyl-*N*-[2-(4-morpholinyl)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-methyl-*N*-[3-(4-morpholinyl)propyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

~~7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-methyl-N-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;~~

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-methyl-2-oxo-N-[3-(2-oxo-1-pyrrolidiny)propyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-N-(2-hydroxyethyl)-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-N-[2-(methyloxy)ethyl]-1-[2-(4-methyl-1-piperaziny)-2-oxoethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-(2-{methyl[2-(methyloxy)ethyl]amino}-2-oxoethyl)-N-[2-(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

(±)-7-[(4-Fluorophenyl)methyl]-4-hydroxy-N-[2-hydroxy-1-methylethyl]-1-(2-{methyl[2-(methyloxy)ethyl]amino}-2-oxoethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

(±)-7-[(4-Fluorophenyl)methyl]-4-hydroxy-N-[(2-hydroxypropyl)-1-(2-{methyl[2-(methyloxy)ethyl]amino}-2-oxoethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

N-[2-(ethyloxy)ethyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-1-(2-{methyl[2-(methyloxy)ethyl]amino}-2-oxoethyl)-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

1-[2-(Dimethylamino)-2-oxoethyl]-7-(4-fluorobenzyl)-4-hydroxy-N-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;

and or a pharmaceutically acceptable ~~salts~~ salt thereof.

16-18. (Cancelled)

19. (Currently amended) A compound according claim ~~5~~ 15 wherein the pharmaceutically acceptable salt is a sodium salt.

20. (Withdrawn-currently amended) A method of treatment of a viral infection in a human comprising administering to said human an antiviral effective amount of a compound according to claim ~~5~~ 15.

21. (Withdrawn-currently amended) A method according to claim 20 wherein the viral infection is a ~~a~~an HIV infection.

22-24. (Cancelled)

25. (Currently amended) A pharmaceutical composition comprising an effective amount of a compound according to claim ~~5~~ 15 together with a pharmaceutically acceptable carrier.

26. (Original) A pharmaceutical composition according to claim 25 in the form of a tablet or capsule.

27. (Original) A pharmaceutical composition according to claim 25 in the form of a liquid or suspension.

28. (Withdrawn-currently amended) A method of treatment of a viral infection in a human comprising administering to said human a composition comprising a compound according to claim ~~5~~ 15 and another therapeutic agent.

29. (Withdrawn) The method according to claim 28 wherein the viral infection is an HIV infection.

30-32. (Cancelled)

33. (Previously presented) 7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide or a pharmaceutically acceptable salt thereof.

34. (Previously presented) 7-[(4-Fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide sodium salt.

35. (Withdrawn) A method of treatment of an HIV infection in a human comprising administering to said human an antiviral effective amount of 7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide or a pharmaceutically acceptable salt thereof.

36. (Previously presented) A pharmaceutical composition comprising an effective amount of 7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide, or a pharmaceutically acceptable salt thereof, together with a pharmaceutically acceptable carrier.

37. (Previously presented) A pharmaceutical composition according to claim 36 in the form of a tablet or capsule.

38. (Previously presented) A pharmaceutical composition according to claim 36 in the form of a liquid or suspension.

39. (Withdrawn) A method of treatment of an HIV infection in a human comprising administering to said human a composition comprising 7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-1-methyl-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide, or a pharmaceutically acceptable salt thereof, and another therapeutic agent.

40. (Withdrawn) A pharmaceutical composition according to claim 36 wherein said composition comprises at least one additional therapeutic agent.

41. (New) A compound selected from the group consisting of:
sodium 1-ethyl-7-[(4-fluorophenyl)methyl]-3-({[(1*S*)-2-hydroxy-1-methylethyl]amino}carbonyl)-
2-oxo-1,2-dihydro-1,5-naphthyridin-4-olate;
1-(2-Amino-2-oxoethyl)-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[2-(methyloxy)ethyl]-2-oxo-
1,2-dihydro-1,5-naphthyridine-3-carboxamide;
1-(4-Fluorophenyl)-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-(2-hydroxyethyl)-2-oxo-1,2-
dihydro-1,5-naphthyridine-3-carboxamide;
7-(4-Fluorobenzyl)-4-hydroxy-*N*-[(2*S*)-2-hydroxypropyl]-2-oxo-1-[2-(2-oxopyrrolidin-1-
yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-(4-Fluorobenzyl)-4-hydroxy-*N*-[(2*R*)-2-hydroxypropyl]-2-oxo-1-[2-(2-oxopyrrolidin-1-
yl)ethyl]-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-[2-(methylamino)-2-oxoethyl]-*N*-[2-(methyloxy)ethyl]-
2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
7-[(4-Fluorophenyl)methyl]-4-hydroxy-1-[(1-methyl-1*H*-imidazol-2-yl)methyl]-*N*-[2-
(methyloxy)ethyl]-2-oxo-1,2-dihydro-1,5-naphthyridine-3-carboxamide;
N-[(2*R*)-2,3-Dihydroxypropyl]-7-[(4-fluorophenyl)methyl]-4-hydroxy-1-methyl-2-oxo-1,2-
dihydro-1,5-naphthyridine-3-carboxamide;
1-Ethyl-7-[(4-fluorophenyl)methyl]-4-hydroxy-*N*-[(1*S*)-2-hydroxy-1-methylethyl]-2-oxo-1,2-
dihydro-1,5-naphthyridine-3-carboxamide;
or a pharmaceutically acceptable salt thereof.

42. (New) A compound according claim 41 wherein the pharmaceutically acceptable salt is a sodium salt.

43. (New) A method of treatment of a viral infection in a human comprising administering to said human an antiviral effective amount of a compound according to claim 41.

44. (New) A method according to claim 43 wherein the viral infection is an HIV infection.

- 45. (New)** A pharmaceutical composition comprising an effective amount of a compound according to claim 41 together with a pharmaceutically acceptable carrier.
- 46. (New)** A pharmaceutical composition according to claim 45 in the form of a tablet or capsule.
- 47. (New)** A pharmaceutical composition according to claim 45 in the form of a liquid or suspension.
- 48. (New)** A method of treatment of a viral infection in a human comprising administering to said human a composition comprising a compound according to claim 41 and another therapeutic agent.
- 49. (New)** The method according to claim 48 wherein the viral infection is an HIV infection.